INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

			25.
COUNTRY	Czechoslovakie	REPORT	
SUBJECT	Road Data/Bridges	DATE DISTR. 140c F 196	6 Ĉ
		NO. PAGES 2	
		REFERENCES	25 X 1.
DATE OF INFO.			
PLACE & DATE ACQ.			25 X 1
	THIS IS UNEVALUA	TED INFORMATION	
			25X1
	The state of the s		
	The second		25 X 1
3.		considered to be first class high-	25X1
3.	ways in Czechoslovakia. They are a	il surface, all weather roads	•
3.	ways in Czechoslovakia. They are a [1924] which are over two lanes wid have a good solid foundation and an	e and in good condition. The roads	•
3.	ways in Czechoslovakia. They are a [1924] which are over two lanes wid have a good solid foundation and an	e and in good condition. The roads asphalt surfaced. trucks on the roads. However.	•
3.	ways in Czechoslovakia. They are a fig287 which are over two lanes wid have a good solid foundation and an heavy military Skods	e and in good condition. The roads asphalt surfaced. trucks on the roads. However,	•
	ways in Czechoslovakia. They are a [1924] which are over two lanes wid have a good solid foundation and an	e and in good condition. The roads asphalt surfaced. trucks on the roads. However,	•
3.	ways in Czechoslovakia. They are a fig287 which are over two lanes wid have a good solid foundation and an heavy military Skods covered. The roads are able to absolute the state of the st	e and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage.	25X1
	ways in Czechoslovakia. They are a [1928] which are over two lanes wid have a good solid foundation and are heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall	e and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage.	25X1 25X1
	ways in Czechoslovakia. They are a fig-227 which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and willers.	e and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage.	25X1 25X1
	ways in Czechoslovakia. They are a [928] which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and village ly in groups. The roads ren throads	e and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage.	25X1 25X1
i.	ways in Czechoslovakia. They are a fig-227 which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and willers.	e and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage.	25X1 25X1
	ways in Czechoslovakia. They are a [924] which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and village ly in groups. The roads ran throughly in groups.	and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. low had to be very ers who walked on the roads, most- agh shallow rolling hills and are	25X1 25X1
4.	ways in Czechoslovakia. They are a 1924 which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and village ly in groups. The roads ran throughly in groups. The roads ran throughly well maintained.	and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. low had to be very ers who walked on the roads, most- agh shallow rolling hills and are highway bridges. dared not	25X1 25X1 25X1
4.	ways in Czechoslovakia. They are a [7924] which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and village ly in groups. The roads ran through the pictures of any bridge nor the trouble. The first bridge is located.	and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. low had to be very ers who walked on the roads, most- agh shallow rolling hills and are highway bridges. dared not rivers for fear of getting into dark homeonte.	25X1 25X1
4.	ways in Czechoslovakia. They are a [1924] which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and village ly in groups. The roads ran through the roads ran through the pictures of any bridge nor the trouble. The first bridge is located bridge reinforced with steel and to	il surface, all weather roads and in good condition. The roads a saphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. low had to be very ers who walked on the roads, most- agh shallow rolling hills and are highway bridges. dared not rivers for fear of getting into d at Nepowsk. It is a concrete	25X1 25X1 25X1
4.	ways in Czechoslovakia. They are a [1924] which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and village ly in groups. The roads ran through the pictures of any bridge nor the trouble. The first bridge is locate bridge reinforced with steel and is bridge crosses the Mihovka river with	il surface, all weather roads and in good condition. The roads a saphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. low had to be very ers who walked on the roads, most- agh shallow rolling hills and are highway bridges. dared not rivers for fear of getting into dat Nepomik. It is a concrete barely two lanes wide. The	25X1 25X1 25X1
4. 5-	ways in Czechoslovakia. They are a fig23 which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absolute the curves on the highways are shall careful to avoid farmers and village ly in groups. The roads ran through the roads ran through the pictures of any bridge nor the trouble. The first bridge is located bridge reinforced with steel and is bridge crosses the Mihovka river who the bridge is in good condition and	and in good condition. The roads and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. In the trucks were tarpaulin orb heavy usage. It is a concrete barely two isnes wide. The ch flows from north to south. It is able to absorb heavy usage.	25X1 25X1 25X1
i.	ways in Czechoslovakia. They are a [7924] which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbed the curves on the highways are shall careful to avoid farmers and village by in groups. The roads ran through the roads ran through the curves of any bridge nor the trouble. The first bridge is located bridge reinforced with steel and is bridge crosses the Mihovka river whith the bridge is in good condition and the second and third bridge are located.	il surface, all weather roads and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. It is a to be very ers who walked on the roads, mostagh shallow rolling hills and are highway bridges. dared not rivers for fear of getting into at Nepomik. It is a concrete barely two lanes wide. The ch flows from north to south, is able to absorb heavy usage.	25X1 25X1 25X1
4. 5-	ways in Czechoslovakia. They are a fig23 which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and village ly in groups. The roads ran throughly in groups. The roads ran throughly in groups. The roads ran throughly well maintained. crossed over seven take pictures of any bridge nor the trouble. The first bridge is locate bridge reinforced with steel and is bridge crosses the Mihovka river whithe bridge is in good condition and the second and third bridge are local south southeast of Blatna. They are	and in good condition. The roads and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. Low had to be very ers who walked on the roads, most-sign shallow rolling hills and are highway bridges. dared not rivers for fear of getting into d at Nepomik. It is a concrete barely two lanes wide. The ch flows from north to south is able to absorb heavy usage.	25X1 25X1 25X1
4. 5-	ways in Czechoslovakia. They are a [7924] which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbed the curves on the highways are shall careful to avoid farmers and village by in groups. The roads ran through the roads ran through the curves of any bridge nor the trouble. The first bridge is located bridge reinforced with steel and is bridge crosses the Mihovka river whith the bridge is in good condition and the second and third bridge are located.	and in good condition. The roads and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. Low had to be very ers who walked on the roads, most-sign shallow rolling hills and are highway bridges. dared not rivers for fear of getting into d at Nepomik. It is a concrete barely two lanes wide. The ch flows from north to south is able to absorb heavy usage.	25X1 25X1 25X1
4. 5-	ways in Czechoslovakia. They are a [1924] which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and village ly in groups. The roads ran through the roads ran through the pictures of any bridge nor the trouble. The first bridge is located bridge reinforced with steel and is bridge crosses the Mihovka river which the bridge is in good condition and the second and third bridge are located to the south southeast of Blatna. They or flows from the east southwest. Both	il surface, all weather roads and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. Iow had to be very ers who walked on the roads, mostagh shallow rolling hills and are highway bridges. dared not rivers for fear of getting into d at Nepomik. It is a concrete barely two lanes wide. The ch flows from north to south. is able to absorb heavy usage. ted approximately two kilometers oss the Lomnice, a stream which bridges are also barely two lanes	25X1 25X1 25X1
4. 5-	ways in Czechoslovakia. They are a fig23 which are over two lanes wid have a good solid foundation and an heavy military Skoda covered. The roads are able to absorbe curves on the highways are shall careful to avoid farmers and village ly in groups. The roads ran throughly in groups. The roads ran throughly in groups. The roads ran throughly well maintained. crossed over seven take pictures of any bridge nor the trouble. The first bridge is locate bridge reinforced with steel and is bridge crosses the Mihovka river whithe bridge is in good condition and the second and third bridge are local south southeast of Blatna. They are	il surface, all weather roads and in good condition. The roads asphalt surfaced. trucks on the roads. However, the trucks were tarpaulin orb heavy usage. Iow had to be very ers who walked on the roads, mostagh shallow rolling hills and are highway bridges. dared not rivers for fear of getting into d at Nepomik. It is a concrete barely two lanes wide. The ch flows from north to south. is able to absorb heavy usage. ted approximately two kilometers oss the Lomnice, a stream which bridges are also barely two lanes	25X1 25X1 25X1

INFORMATION REPORT

INFORMATION REPORT

NOFORN

LIMITED: Dissemination limited to full-time employees of CIA, AEC and FBI; and, within State and Defense, to the intelligence components, other reserve personnel on sho: Approved For Release 2009/08/18: CIA-RDP80T00246A011500350001-5

Defense) unless the components of the c

C-O-K-F-I-D-E-H-T-I-A-L

-2wide. However, both are able to absorb heavy usage and are in fairly good condition. These two bridges are only of concemte construction. The fourth concrete-steel reinforced bridge is located at Strakonice. 25X1 This bridge is over two lanes wide and in good condition. It crosses the Otava River which flows from west to east. The bridge is constructed for heavy usage. The sixth concrete-steel reinforced bridge is located in the center of Pisck. The bridge crosses the Otava river which flows from the north and then in a southwestly direction from Pisek. The bridge is over two lames wide, in good condition and is constructed for heavy usage. The seventh concrete-steel reinforced bridge is located near the Podolska and Budovicky villages. The bridge crosses the Vitava river which flows from north southward. It is also over two lames wide and is able to absorb heavy usage. 9. 25X1 There are no sidewalks on the bridges and pedestrians cross the bridges by walking on the roadway. military installations or factories except farms and farmlands. did not see any 25X1 25X1

-ena-

C-O-N-F-I-D-E-N-T-I-A-L NO DISSEM ABROAD

LIMITED

NOPORM





